CONTENTS OF VOLUME 27

NUMBER 1


| | | |
|---|---|---|
| **J. A. Hudson** | I | Editorial |
| **F. E. Heuzé** | 1 | An overview of projectile penetration into geological materials, with emphasis on rocks |
| **D. F. Hambley** | 15 | Steady-state stress distribution around mined openings in saltrock |
| **M. Bai, D. Elsworth, Z. Li and N. Tomlin** | 23 | Evaluation of stresses and displacements induced in discretely layered media |
| **A. Kavetsky, G. P. F. Chitombo, C. K. McKenzie and R. L. Yang** | 33 | A model of acoustic pulse propagation and its application to determine $Q$ for a rock mass |
| **Wu Zhenye and Li Shiping** | 43 | The generalized plane strain problem and its application in three-dimensional stress measurement |
| *Technical Notes* | | |
| **Tao Zhenyu and Mo Haihong** | 51 | An experimental study and analysis of the behaviour of rock under cyclic loading |
| **A. L. Ramirez and W. D. Daily** | 57 | Geotomography of grout penetration in fractured granite |
| **Wang Chengyong, Liu Peide, Hu Rongsheng and Sun Xiutang** | 65 | Study of the fracture process zone in rock by laser speckle interferometry |
| **Chunlin Li and Yuboo Wai** | 71 | Fracture toughness determination for marble using a round bar specimen |
| Geomechanics Abstracts | 1A | |


NUMBER 2


| | | |
|---|---|---|
| **M. Hood, R. Nordlund and E. Thimons** | 77 | A study of rock erosion using high-pressure water jets |
| **Z. Şen** | 87 | Cumulative core index for rock quality evaluations |
| **R. Corthésy and D. E. Gill** | 95 | A novel approach to stress measurements in rocksalt |
| **R. W. Hutson and C. H. Dowding** | 109 | Joint asperity degradation during cyclic shear |
| **H. S. Mitri and F. P. Hassani** | 121 | Structural characteristics of coal mine steel arch supports |
| *Technical Notes* | | |
| **J. P. Carter and J. R. Booker** | 129 | Sudden excavation of a long circular tunnel in elastic ground |
| **W. E. Bardsley, T. J. Major and M. J. Selby** | 133 | Note on a Weibull property for joint spacing analysis |
| **Z. Şen** | 135 | RQP, RQR and fracture spacing |
| **J. R. Walker, C. D. Martin and E. J. Dzik** | 139 | Confidence intervals for *in situ* stress measurements |
| Geomechanics Abstracts | 65A | |

NUMBER 3

G. Hocking, J. R. Williams and G. G. W. Mustoe — 143 Post-test assessment of simulations for *in situ* heater tests in basalt—Part I. Heater test description and rock mass properties

G. Hocking, J. R. Williams and G. G. W. Mustoe — 161 Post-test assessment of simulations for *in situ* heater tests in basalt—Part II. Comparison of predicted and measured response

D. R. Hanson and R. F. Holub — 175 Methane release from actively yielding coal and its implications for yield zone determination

T. J. Boone and E. Detournay — 189 Response of a vertical hydraulic fracture intersecting a poroelastic formation bounded by semi-infinite impermeable elastic layers

K. P. Chong and A. P. Boresi — 199 Strain rate dependent mechanical properties of New Albany reference shale

*Technical Notes*

Zhang Xing and Liao Guohua — 207 Estimation of confidence bounds for mean trace length of discontinuities using scanline surveys

S. Saeb and B. Amadei — 213 Modelling joint response under constant or variable normal stiffness boundary conditions

M. M. Poulton, N. Mojtabai and I. W. Farmer — 219 Scale invariant behaviour of massive and fragmented rock

T. Chelidze and Y. Gueguen — 223 Evidence of fractal fracture

E. Hoek — 227 Estimating Mohr–Coulomb friction and cohesion values from the Hoek–Brown failure criterion

Geomechanics Abstracts — 131A

NUMBER 4

R. Nova and A. Zaninetti — 231 An investigation into the tensile behaviour of a schistose rock

E. Heuze, R. J. Shaffer, A. R. Ingraffea and R. H. Nilson — 243 Propagation of fluid-driven fractures in jointed rock. Part 1—development and validation of methods of analysis

S. C. Blair, R. K. Thorpe and F. E. Heuze — 255 Propagation of fluid-driven fractures in jointed rock. Part 2—physical tests on blocks with an interface or lens

B. Indraratna and P. K. Kaiser — 269 Design for grouted rock bolts based on the convergence control method

Y. M. Tien, D. H. Lee and C. H. Juang — 283 Strain, pore pressure and fatigue characteristics of sandstone under various load conditions

M. Mauldon and R. Goodman — 291 Rotational kinematics and equilibrium of blocks in a rock mass

*Technical Notes*

M. Mauldon — 303 Probability aspects of the removability and rotatability of tetrahedral blocks

| | | |
|---|---|---|
| **A. T. Spathis** | 309 | The vibrating wire stressmeter—calibration factors for a novel implementation |
| **D. R. Burns, C. H. Cheng and R. H. Wilkens** | 315 | Sandstone pore aspect ratio spectra from direct observations and velocity inversion |
| **Sun Peide** | 325 | A new method for calculating the gas permeability of a coal seam |
| Geomechanics Abstracts | 197A | |


NUMBER 5


| | | |
|---|---|---|
| **N. H. Maerz, J. A. Franklin and C. P. Bennett** | 329 | Joint roughness measurement using shadow profilometry |
| **R. L. Kranz, J. S. Saltzman and J. D. Blacic** | 345 | Hydraulic diffusivity measurements on laboratory rock samples using an oscillating pore pressure method |
| **G. Tao and M. S. King** | 353 | Shear-wave velocity and $Q$ anisotropy in rocks: a laboratory study |
| **D. Miller and A. Ball** | 363 | Rock drilling with impregnated diamond microbits—an experimental study |
| **Wunan Lin and W. Daily** | 373 | Hydrological properties of Topopah Spring tuff under a thermal gradient—laboratory results |
| **R. T. Ewy and N. G. W. Cook** | 387 | Deformation and fracture around cylindrical openings in rock—I. Observations and analysis of deformations |
| **R. T. Ewy and N. G. W. Cook** | 409 | Deformation and fracture around cylindrical openings in rock—II. Initiation, growth and interaction of fractures |
| **C. M. Sayers, J. G. van Munster and M. S. King** | 429 | Stress-induced ultrasonic anisotropy in Berea sandstone |
| *Technical Notes* | | |
| **C. M. Sayers** | 437 | Orientation of microcracks formed in rocks during strain relaxation |
| **F. Kohlbeck, P. Mueller and K. Reder** | 441 | Computer-aided geological and geotechnical documentation of tunnels |
| **P. M. Warburton** | 445 | Laboratory test of a computer model for blocky rock |
| Geomechanics Abstracts | 255A | |


NUMBER 6


| | | |
|---|---|---|
| **Y.-H. Lee, J. R. Carr, D. J. Barr and C. J. Haas** | 453 | The fractal dimension as a measure of the roughness of rock discontinuity profiles |
| **C. Scavia, G. Barla and V. Bernaudo** | 465 | Probabilistic stability analysis of block toppling failure in rock slopes |
| **R. K. Zipf Jr and Z. T. Bieniawski** | 479 | Mixed-mode fracture toughness testing of coal |

| | | |
|---|---|---|
| **J. S. Cargill and A. Shakoor** | 495 | Evaluation of empirical methods for measuring the uniaxial compressive strength of rock |
| **D. H. Zeuch** | 505 | Isostatic hot-pressing mechanism maps for pure and natural sodium chloride—applications to nuclear waste isolation in bedded and domal salt formations |
| **L. J. Lorig and B. E. Hobbs** | 525 | Numerical modelling of slip instability using the distinct element method with state variable friction laws |
| *Technical Notes* | | |
| **J. Litwiniszyn** | 535 | Rarefaction shock waves, outbursts and consequential coal damage |
| **G. Beer and W. Mertz** | 541 | A user-friendly interface for computer aided analysis and design in mining |
| **J. Carlsson, K. G. Sundin and B. Lundberg** | 553 | A method for determination of in-hole dynamic force–penetration data from two-point strain measurement on a percussive drill rod |
| **S. Okubo, Y. Nishimatsu and C. He** | 559 | Loading rate dependence of Class II rock behaviour in uniaxial and triaxial compression tests—an application of a proposed new control method |
| Corrigendum | 563 | |
| Geomechanics Abstracts | 323A | |


## VOL. 27 SUPPLEMENT

The International Society of Rock Mechanics List of Members 1990 was produced as a Supplement to the journal during 1990. It was supplied to all subscribers with their copy of Volume 27 Number 5.